

EVOTECH®
P E R F O R M A N C E

www.evotech-performance.com


Aprilia RSV4 Radiator Guard Set

Installation Instructions




Kit Contents PRN08163-008164


- (A) 1 x Radiator Guard
- (B) 1 x Oil Cooler Guard
- (C) 2 x Mounting Brackets
- (D) 2 x Zip Ties
- (E) 2 x M6 - 16 Socket Button Head Screw
- (F) 2 x M6 - 25 Socket Button Head Screw
- (G) 2 x M6 Washers
- (H) 2 x M6 Special Washers
- (I) 4 x M4 - 10 Socket Button Head Screws
- (J) 4 x 5mm Neoprene
- (K) 6 x 3mm Neoprene




Repeat
Both Sides




Repeat
Both Sides




Repeat
Both Sides




Repeat
Both Sides





Repeat
Both Sides




Repeat
Both Sides












Repeat
Both Sides




Repeat
Both Sides




Repeat
Both Sides




Repeat
Both Sides




Repeat
Both Sides




Repeat
Both Sides




Repeat
Both Sides




Repeat
Both Sides





Repeat
Both Sides







Repeat
Both Sides








Slide Plastic
& Remove



















Ensure the radiator guard
securely hooks over the
top lip of the radiator

























Ensure Oil Cooler Guard
securely hooks under the
bottom lip of the cooler





EVOTECH
PERFORMANCE





Caution

Remove
Bolts







Reverse Stages

24 - 19





Repeat
Both Sides





ESSENTIAL CHECKS

It is recommended that periodic inspections are made to ensure that dirt and debris have not become trapped between the guard and the radiator/oil cooler. Such dirt and debris would reduce the cooling efficiency of the radiator/oil cooler.

It is recommended that periodic inspections are made to ensure that all fixings are fully tightend.



EVOTECH®
P E R F O R M A N C E

www.evotech-performance.com